

PERFORMANCES

WT180

	metric	US
Max height	18 m	59 ft
Max outreach*	16 m	52 ft 5 in
Transportation lenght*	9000 mm	29 ft 5 in
Transportation width*	2500 mm	8 ft 2 in
Transportation height*	3800 mm	12 ft 5 in
Minimum GVW	18 T	39683 lbs
Water capacity**	7000 l/min	1849 GPM (US liquid)
Operating wind speed	14 m/s	46 fps

WT200

	metric	US
Max height	20 m	65 ft 6 in
Max outreach*	18 m	59 ft
Transportation lenght*	10500 mm	34 ft 4 in
Transportation width*	2500 mm	8 ft 2 in
Transportation height*	3800 mm	12 ft 5 in
Minimum GVW	18 T	39683 lbs
Water capacity**	7000 l/min	1849 GPM (US liquid)
Operating wind speed	14 m/s	46 fps

WT330X

	metric	US
Max height	33 m	108 ft 3 in
Max outreach*	25 m	82 ft
Transportation lenght*	10000 mm	32 ft 8 in
Transportation width*	2500 mm	8 ft 2 in
Transportation height*	3800 mm	12 ft 5 in
Minimum GVW	26 T	57320 lbs
Water capacity**	7000 l/min	1849 GPM (US liquid)
Operating wind speed	14 m/s	46 fps

WT375X

	metric	US
Max height	37,5 m	123 ft
Max outreach*	25 m	82 ft
Transportation lenght*	11150 mm	36 ft 6 in
Transportation width*	2500 mm	8 ft 2 in
Transportation height*	3800 mm	12 ft 5 in
Minimum GVW	26 T	57320 lbs
Water capacity**	7000 l/min	1849 GPM (US liquid)
Operating wind speed	14 m/s	46 fps

** Depending on chassis*

*** Depending on project*

rev 1 · 05/11/2026

WT444X

	metric	US
Max height	44 m	144 ft 6 in
Max outreach*	25 m	82 ft
Transportation lenght*	11150 mm	36 ft 6 in
Transportation width*	2500 mm	8 ft 2 in
Transportation height*	3800 mm	12 ft 5 in
Minimum GVW	26 T	57320 lbs
Water capacity**	7000 l/min	1849 GPM (US liquid)
Operating wind speed	14 m/s	46 fps

WT555X

	metric	US
Max height	55 m	180 ft 4 in
Max outreach*	25 m	82 ft
Transportation lenght*	12000 mm	39 ft 4 in
Transportation width*	2500 mm	8 ft 2 in
Transportation height*	3900 mm	12 ft 8 in
Minimum GVW	32 T	70548 lbs
Water capacity**	7000 l/min	1849 GPM (US liquid)
Operating wind speed	14 m/s	46 fps

WT727X

	metric	US
Max height	72 m	108 ft 3 in
Max outreach*	28 m	82 ft
Transportation lenght*	12000 mm	32 ft 8 in
Transportation width*	2500 mm	8 ft 2 in
Transportation height*	3900 mm	12 ft 5 in
Minimum GVW	41 T	90389 lbs
Water capacity**	7000 l/min	1849 GPM (US liquid)
Operating wind speed	14 m/s	46 fps

** Depending on chassis*

*** Depending on project*

Data are indicative and subject to change without prior notice

rev 1 · 05/11/2026



rev 1 · 05/11/2026

CELA ALSO MAKES

















InGrafisheria_+39.392.3397531

CELA s.r.l.

Via Iseo, 5/7/9
25045 Castegnato (BS) - ITALY
Tel. +39 030 9884084
info@cela.it

CELA PLATFORMS NORTH AMERICA, INC.

1351 Gordon Highway, suite B
Augusta, GA 30901
USA
salesusa@celaplatforms.com

QUALITY SYSTEM CERTIFICATION DNV ISO 9001

CE

Standard Compliances

- *ANSI/SAIA A92.20*
- *CSA B354.6*
- *UNI EN 280*

Le dimensioni e le caratteristiche descritte negli schemi tecnici sono indicativi e sono suscettibili di variazioni senza preavviso. Il catalogo potrebbe non essere aggiornato alla data odierna, si invita a consultare il sito internet.

The dimensions and characteristics described in the technical drawings are indicative and are subject to change without notice. The catalog may not be up to date with today's date; please refer to the website.

Las dimensiones y características descritas en los esquemas técnicos son indicativas y están sujetas a cambios sin previo aviso.Es posible que el catálogo no esté actualizado a la fecha de hoy; por favor, consulte el sitio web.

Les dimensions et caractéristiques décrites dans les schémas techniques sont indicatives et susceptibles de modifications sans préavis. Le catalogue peut ne pas être à jour à la date d'aujourd'hui ; veuillez consulter le site web.

Die in den technischen Zeichnungen beschriebenen Abmessungen und Eigenschaften sind indikativ und können sich ohne Ankündigung ändern. Der Katalog ist möglicherweise nicht auf dem neuesten Stand; bitte schauen Sie auf der Website nach.

技术图纸中描述的尺寸和特性仅供参考，如有变更恕不另行通知。目录可能未更新至今日日期，请查阅网站。

www.celaplatforms.com
celasrlplatforms
cela.platforms
Cela Industry