









PERFORMANCES




WT180 **WT590**

	<i>metric</i>	<i>US</i>
Max height	18 m	59 ft
Max outreach*	16 m	52 ft 5 in
Transportation length*	9000 mm	29 ft 5 in
Transportation width*	2500 mm	8 ft 2 in
Transportation height*	3800 mm	12 ft 5 in
 Minimum GVW	18 T	39683 lbs
 Water capacity**	from 3600 to 7000 l/min	from 950 to 1849 GPM (US liquid)
 Operating wind speed	14 m/s	46 fps




WT200 **WT656**

	<i>metric</i>	<i>US</i>
Max height	20 m	65 ft 6 in
Max outreach*	18 m	59 ft
Transportation length*	10500 mm	34 ft 4 in
Transportation width*	2500 mm	8 ft 2 in
Transportation height*	3800 mm	12 ft 5 in
 Minimum GVW	18 T	39683 lbs
 Water capacity**	from 3600 to 7000 l/min	from 950 to 1849 GPM (US liquid)
 Operating wind speed	14 m/s	46 fps

WT330x **WT1085x**

	<i>metric</i>	<i>US</i>
Max height	33 m	108 ft 3 in
Max outreach*	25 m	82 ft
Transportation length*	10000 mm	32 ft 8 in
Transportation width*	2500 mm	8 ft 2 in
Transportation height*	3800 mm	12 ft 5 in
 Minimum GVW	26 T	57320 lbs
 Water capacity**	from 3600 to 7000 l/min	from 950 to 1849 GPM (US liquid)
 Operating wind speed	14 m/s	46 fps




WT375x **WT1230x**

	<i>metric</i>	<i>US</i>
Max height	37,5 m	123 ft
Max outreach*	25 m	82 ft
Transportation length*	11150 mm	36 ft 6 in
Transportation width*	2500 mm	8 ft 2 in
Transportation height*	3800 mm	12 ft 5 in
 Minimum GVW	26 T	57320 lbs
 Water capacity**	from 3600 to 7000 l/min	from 950 to 1849 GPM (US liquid)
 Operating wind speed	14 m/s	46 fps




* Depending on chassis

** Depending on project




WT444x WT1460x

	<i>metric</i>	<i>US</i>
Max height	44 m	144 ft 6 in
Max outreach*	25 m	82 ft
Transportation length*	11150 mm	36 ft 6 in
Transportation width*	2500 mm	8 ft 2 in
Transportation height*	3800 mm	12 ft 5 in
 Minimum GVW	26 T	57320 lbs
 Water capacity**	from 3600 to 7000 l/min	from 950 to 1849 GPM (US liquid)
 Operating wind speed	14 m/s	46 fps

WT555x WT1825x

	<i>metric</i>	<i>US</i>
Max height	55 m	180 ft 4 in
Max outreach*	25 m	82 ft
Transportation length*	12000 mm	39 ft 4 in
Transportation width*	2500 mm	8 ft 2 in
Transportation height*	3900 mm	12 ft 8 in
 Minimum GVW	32 T	70548 lbs
 Water capacity**	from 3600 to 7000 l/min	from 950 to 1849 GPM (US liquid)
 Operating wind speed	14 m/s	46 fps

WT727x WT2390x

	<i>metric</i>	<i>US</i>
Max height	72 m	108 ft 3 in
Max outreach*	28 m	82 ft
Transportation length*	12000 mm	32 ft 8 in
Transportation width*	2500 mm	8 ft 2 in
Transportation height*	3900 mm	12 ft 5 in
 Minimum GVW	41 T	90389 lbs
 Water capacity**	from 3600 to 7000 l/min	from 950 to 1849 GPM (US liquid)
 Operating wind speed	14 m/s	46 fps

* Depending on chassis

** Depending on project

Data are indicative and subject to change without prior notice

